

1 ABDOMINAL PAIN / PROBLEMS

LEVELS	#	DETERMINANT DESCRIPTORS	CODES
D	1	Not alert	1-D-1
	2	Ashen or gray color reported ≥ 50	1-D-2
C	1	SUSPECTED aortic aneurysm (tearing/ripping pain) ≥ 50	1-C-1
	2	Diagnosed aortic aneurysm	1-C-2
	3	Fainting or near fainting ≥ 50	1-C-3
	4	Females with fainting or near fainting 12–50	1-C-4
	5	Males with pain above navel ≥ 35	1-C-5
	6	Females with pain above navel ≥ 45	1-C-6
A	1	Abdominal pain	1-A-1
	2	Testicle or groin pain (male)	1-A-2

2 ALLERGIES (REACTIONS) / ENVENOMATIONS (STINGS, BITES)

LEVELS	#	DETERMINANT DESCRIPTORS	CODES
E	1	INEFFECTIVE BREATHING * (to be selected from Case Entry only)	2-E-1
D	1	Not alert	2-D-1
	2	DIFFICULTY SPEAKING BETWEEN BREATHS	2-D-2
	3	SWARMING attack (bees, wasps, hornets, etc.)	2-D-3
	4	Snakebite	2-D-4
C	1	Difficulty breathing or swallowing	2-C-1
	2	History of severe allergic reaction	2-C-2
B	1	Unknown status/Other codes not applicable	2-B-1
A	1	No difficulty breathing or swallowing (rash, hives, or itching may be present)	2-A-1
	2	Spider bite	2-A-2

3 ANIMAL BITES / ATTACKS

LEVELS	#	DETERMINANT DESCRIPTORS	CODES
D	1	Arrest	3-D-1
	2	Unconscious	3-D-2
	3	Not alert	3-D-3
	4	Chest or Neck injury (with difficulty breathing)	3-D-4
	5	DANGEROUS body area	3-D-5
	6	Large animal	3-D-6
	7	EXOTIC animal	3-D-7
	8	MAULING or multiple animals	3-D-8
	9	Attack in progress	3-D-9
B	1	POSSIBLY DANGEROUS body area	3-B-1
	2	SERIOUS hemorrhage	3-B-2
	3	Unknown status/ Other codes not applicable	3-B-3
A	1	NOT DANGEROUS body area	3-A-1
	2	NON-RECENT (\geq 6hrs) injuries (without priority symptoms)	3-A-2
	3	SUPERFICIAL injuries	3-A-3

4 ASSAULT / SEXUAL ASSAULT / STUN GUN

LEVELS	#	DETERMINANT DESCRIPTORS	CODES
D	1	Arrest	4-D-1
	2	Unconscious	4-D-2
	3	Not alert	4-D-3
	4	Chest or Neck injury (with difficulty breathing)	4-D-4
	5	Multiple victims	4-D-5
B	1	POSSIBLY DANGEROUS body area	4-B-1
	2	SERIOUS hemorrhage	4-B-2
	3	Unknown status/Other codes not applicable	4-B-3
A	1	Marked (*) NOT DANGEROUS body area with deformity	4-A-1
	2	NOT DANGEROUS body area	4-A-2
	3	NON-RECENT (\geq 6hrs) injuries (without priority symptoms)	4-A-3

5 BACK PAIN (NON-TRAUMATIC OR NON-RECENT TRAUMA)

LEVELS	#	DETERMINANT DESCRIPTORS	CODES
D	1	Not alert	5-D-1
	2	Ashen or gray color reported ≥ 50	5-D-2
C	1	SUSPECTED aortic aneurysm (tearing/ripping pain) ≥ 50	5-C-1
	2	Diagnosed aortic aneurysm	5-C-2
	3	Fainting or near fainting ≥ 50	5-C-3
	4	Difficulty breathing	5-C-4
A	1	NON-TRAUMATIC back pain	5-A-1
	2	NON-RECENT (≥ 6 hrs) traumatic back pain (without priority symptoms)	5-A-2

6 BREATHING PROBLEMS

LEVELS	#	DETERMINANT DESCRIPTORS	CODES
E	1	INEFFECTIVE BREATHING * (to be selected from Case Entry only)	6-E-1
D	1	Not alert	6-D-1
	2	DIFFICULTY SPEAKING BETWEEN BREATHS	6-D-2
	3	CHANGING COLOR	6-D-3
	4	Clammy or cold sweats	6-D-4
	5	Tracheostomy (obvious distress)	6-D-5
C	1	Abnormal breathing	6-C-1
	2	Tracheostomy (no obvious distress)	6-C-2

7. BURNS (SCALDS) / EXPLOSION (BLAST)

LEVELS	#	DETERMINANT DESCRIPTORS	CODES
E	1	Person on fire	7-E-1
D	1	Multiple victims	7-D-1
	2	Arrest	7-D-2
	3	Unconscious	7-D-3
	4	Not alert	7-D-4
	5	DIFFICULTY SPEAKING BETWEEN BREATHS	7-D-5
C	1	Fire with persons reported inside	7-C-1
	2	Difficulty breathing	7-C-2
	3	Burns \geq 18% body area	7-C-3
	4	SIGNIFICANT FACIAL burns	7-C-4
B	1	Blast injuries (without priority symptoms)	7-B-1
	2	Unknown status/Other codes not applicable	7-B-2
A	1	Burns < 18% body area	7-A-1
	2	Fire alarm (unknown situation)	7-A-2
	3	MINOR burns	7-A-3
	4	Sunburn	7-A-4
	5	NON-RECENT (\geq 6hrs) burns/injuries (without priority symptoms)	7-A-5

8 CARBON MONOXIDE / INHALATION / HAZMAT / CBRN

LEVELS	#	DETERMINANT DESCRIPTORS	CODES
D	1	Arrest	8-D-1
	2	Unconscious	8-D-2
	3	Not alert	8-D-3
	4	DIFFICULTY SPEAKING BETWEEN BREATHS	8-D-4
	5	Multiple victims	8-D-5
	6	Unknown status/ Other codes not applicable	8-D-6
C	1	Alert with difficulty breathing	8-C-1
B	1	Alert without difficulty breathing	8-B-1
Ω	1	Carbon monoxide detector alarm, (scene contact without priority symptoms)	8-Ω-1
	2	Carbon monoxide detector alarm (alarm only, no scene contact)	8-Ω-2

9 CARDIAC OR RESPIRATORY ARREST / DEATH

LEVELS	#	DETERMINANT DESCRIPTORS	CODES
E	Suspected Workable Arrest (NOT BREATHING/INEFFECTIVE BREATHING) :		
	1	Not breathing at all	9-E-1
	2	UNCERTAIN BREATHING	9-E-2
	3	Hanging	9-E-3
	4	Strangulation	9-E-4
	5	Suffocation	9-E-5
* (to be selected from Case Entry only)			
D	1	INEFFECTIVE BREATHING (discovered during Key Questioning only) * (select only when linking from other Chief Complaint Protocols)	9-D-1
	2	OBVIOUS or EXPECTED DEATH questionable	9-D-2
B	1	OBVIOUS DEATH unquestionable	9-B-1
Ω	1	EXPECTED DEATH unquestionable	9-Ω-1

10 CHEST PAIN / CHEST DISCOMFORT (NON-TRAUMATIC)

LEVELS	#	DETERMINANT DESCRIPTORS	CODES
D	1	Not alert	10-D-1
	2	DIFFICULTY SPEAKING BETWEEN BREATHS	10-D-2
	3	CHANGING COLOR	10-D-3
	4	Clammy or cold sweats	10-D-4
	5	Heart attack or angina history	10-D-5
C	1	Abnormal breathing	10-C-1
	2	Cocaine	10-C-2
	3	Breathing normally ≥ 35	10-C-3
A	1	Breathing normally < 35	10-A-1

11 CHOKING

LEVELS	#	DETERMINANT DESCRIPTORS	CODES
E	1	COMPLETE obstruction/ INEFFECTIVE BREATHING	11-E-1
D	1	Abnormal breathing (PARTIAL obstruction)	11-D-1
	2	Not alert	11-D-2
A	1	Not choking now (can talk or cry , is alert and breathing normally)	11-A-1

12. CONVULSIONS / SEIZURES

LEVELS	#	DETERMINANT DESCRIPTORS	CODES
D	1	Not breathing (after Key Questioning)	12-D-1
	2	CONTINUOUS or MULTIPLE seizures	12-D-2
	3	AGONAL/INEFFECTIVE BREATHING	12-D-3
	4	Effective breathing not verified ≥ 35	12-D-4
C	1	FOCAL/ABSENCE seizure (not alert)	12-C-1
	2	Pregnancy	12-C-2
	3	Diabetic	12-C-3
	4	Not seizing now and effective breathing verified (> 6 , confirmed no seizure disorder)	12-C-4
	5	History of STROKE or brain tumor	12-C-5
	6	OVERDOSE/POISONING (ingestion)	12-C-6
	7	ATYPICAL seizure	12-C-7
B	1	Effective breathing not verified < 35	12-B-1
A	1	Not seizing now and effective breathing verified (known seizure disorder)	12-A-1
	2	Not seizing now and effective breathing verified (seizure disorder unknown)	12-A-2
	3	Not seizing now and effective breathing verified (≤ 6 , confirmed no seizure disorder)	12-A-3
	4	FOCAL/ABSENCE seizure (alert)	12-A-4
	5	Impending seizure (aura)	12-A-5

13 DIABETIC PROBLEMS

LEVELS	#	DETERMINANT DESCRIPTORS	CODES
D	1	Unconscious	13-D-1
C	1	Not alert	13-C-1
	2	Abnormal behavior	13-C-2
	3	Abnormal breathing	13-C-3
A	1	Alert and behaving normally	13-A-1

14. DROWNING / NEAR DROWNING / DIVING / SCUBA ACCIDENT

LEVELS	#	DETERMINANT DESCRIPTORS	CODES
E	1	Arrest (out of water)	14-E-1
	2	Underwater (DOMESTIC rescue)	14-E-2
D	1	Unconscious	14-D-1
	2	Underwater (SPECIALIZED rescue)	14-D-2
	3	Stranded (SPECIALIZED rescue)	14-D-3
	4	Just resuscitated and/or defibrillated (external)	14-D-4
	5	Not alert	14-D-5
	6	Suspected neck injury	14-D-6
C	1	Alert with abnormal breathing	14-C-1
B	1	Alert and breathing normally (injuries or in water)	14-B-1
	2	OBVIOUS DEATH (submersion \geq 6hrs)	14-B-2
	3	Unknown status/Other codes not applicable	14-B-3
A	1	Alert and breathing normally (no injuries and out of water)	14-A-1

15. ELECTROCUTION / LIGHTNING

LEVELS	#	DETERMINANT DESCRIPTORS	CODES
E	1	NOT BREATHING/INEFFECTIVE BREATHING * (to be selected from Case Entry only)	15-E-1
	D		
	1	Multiple victims	15-D-1
	2	Unconscious	15-D-2
	3	Not disconnected from power	15-D-3
	4	Power not off or hazard present	15-D-4
	5	EXTREME FALL ($\geq 30\text{ft}/10\text{m}$)	15-D-5
	6	LONG FALL	15-D-6
	7	Not alert	15-D-7
	8	Abnormal breathing	15-D-8
	9	Unknown status/Other codes not applicable	15-D-9
C	1	Alert and breathing normally	15-C-1

16 EYE PROBLEMS / INJURIES

LEVELS	#	DETERMINANT DESCRIPTORS	CODES
D	1	Not alert	16-D-1
B	1	SEVERE eye injuries	16-B-1
A	1	MODERATE eye injuries	16-A-1
	2	MINOR eye injuries	16-A-2
	3	MEDICAL eye problems	16-A-3

17 FALLS

LEVELS	#	DETERMINANT DESCRIPTORS	CODES
D	1	EXTREME FALL (\geq 30ft/10m)	17-D-1
	2	Arrest	17-D-2
	3	Unconscious	17-D-3
	4	Not alert	17-D-4
	5	Chest or Neck injury (with difficulty breathing)	17-D-5
	6	LONG FALL	17-D-6
B	1	POSSIBLY DANGEROUS body area	17-B-1
	2	SERIOUS hemorrhage	17-B-2
	3	Unknown status/ Other codes not applicable	17-B-3
A	1	Marked (*) NOT DANGEROUS body area with deformity	17-A-1
	2	NOT DANGEROUS body area	17-A-2
	3	NON-RECENT (\geq 6hrs) injuries (without priority symptoms)	17-A-3
	4	PUBLIC ASSIST (no injuries and no priority symptoms)	17-A-4

18 HEADACHE

LEVELS	#	DETERMINANT DESCRIPTORS	CODES
C	1	Not alert	18-C-1
	2	Abnormal breathing	18-C-2
	3	Speech problems*	18-C-3
	4	Sudden onset of severe pain*	18-C-4
	5	Numbness*	18-C-5
	6	Paralysis*	18-C-6
	7	Change in behavior (\leq 3hrs)*	18-C-7
B	1	Unknown status/Other codes not applicable	18-B-1
A	1	Breathing normally	18-A-1

19 HEART PROBLEMS / A.I.C.D.

LEVELS	#	DETERMINANT DESCRIPTORS	CODES
D	1	Not alert	19-D-1
	2	DIFFICULTY SPEAKING BETWEEN BREATHS	19-D-2
	3	CHANGING COLOR	19-D-3
	4	Clammy or cold sweats	19-D-4
	5	Just resuscitated and/or defibrillated (external)	19-D-5
C	1	Firing of A.I.C.D.	19-C-1
	2	Abnormal breathing	19-C-2
	3	Chest pain/discomfort ≥ 35	19-C-3
	4	Cardiac history	19-C-4
	5	Cocaine	19-C-5
	6	Heart rate < 50 bpm or ≥ 130 bpm (without priority symptoms)	19-C-6
	7	Unknown status/Other codes not applicable	19-C-7
A	1	Heart rate ≥ 50 bpm and < 130 bpm (without priority symptoms)	19-A-1
	2	Chest pain/discomfort < 35 (without priority symptoms)	19-A-2

20 HEAT / COLD EXPOSURE

LEVELS	#	DETERMINANT DESCRIPTORS	CODES
D	1	Not alert	20-D-1
	2	Multiple victims (with priority symptoms)	20-D-2
C	1	Heart attack or angina history	20-C-1
B	1	Change in skin color	20-B-1
	2	Unknown status/Other codes not applicable	20-B-2
A	1	Alert	20-A-1

21 HEMORRHAGE / LACERATIONS

LEVELS	#	DETERMINANT DESCRIPTORS	CODES
D	1	Arrest	21-D-1
	2	Unconscious	21-D-2
	3	Not alert	21-D-3
	4	DANGEROUS hemorrhage	21-D-4
	5	Abnormal breathing	21-D-5
C	1	Hemorrhage through TUBES	21-C-1
	2	Hemorrhage of dialysis fistula	21-C-2
	3	Hemorrhage from varicose veins	21-C-3
B	1	POSSIBLY DANGEROUS hemorrhage	21-B-1
	2	SERIOUS hemorrhage	21-B-2
	3	Bleeding disorder	21-B-3
	4	Blood thinners	21-B-4
A	1	NOT DANGEROUS hemorrhage	21-A-1
	2	MINOR hemorrhage	21-A-2

22 INACCESSIBLE INCIDENT / OTHER ENTRAPMENTS (NON-TRAFFIC)

LEVELS	#	DETERMINANT DESCRIPTORS	CODES
D	1	Mechanical/Machinery/Object ENTRAPMENT	22-D-1
	2	Trench collapse	22-D-2
	3	Structure collapse	22-D-3
	4	Confined space ENTRAPMENT	22-D-4
	5	Inaccessible terrain situation	22-D-5
	6	Mudslide/Avalanche	22-D-6
B	1	No longer trapped (unknown injuries)	22-B-1
	2	PERIPHERAL ENTRAPMENT only	22-B-2
	3	Unknown status (investigation)/ Other codes not applicable	22-B-3
A	1	No longer trapped (no injuries)	22-A-1

23 OVERDOSE / POISONING (INGESTION)

LEVELS	#	DETERMINANT DESCRIPTORS	CODES
D	1	Unconscious	23-D-1
	2	CHANGING COLOR	23-D-2
C	1	Not alert	23-C-1
	2	Abnormal breathing	23-C-2
	3	Antidepressants (tricyclic)	23-C-3
	4	Cocaine, methamphetamine (or derivatives)	23-C-4
	5	Narcotics (heroin, morphine, methadone, OxyContin, etc.)	23-C-5
	6	Acid or alkali (lye)	23-C-6
	7	Unknown status/Other codes not applicable	23-C-7
	8	Poison Control request for response	23-C-8
B	1	OVERDOSE (without priority symptoms)	23-B-1
Ω	1	POISONING (without priority symptoms)	23-Ω-1

24 PREGNANCY / CHILDBIRTH / MISCARRIAGE

LEVELS	#	DETERMINANT DESCRIPTORS	CODES
D	1	BREECH or CORD	24-D-1
	2	Head visible/out	24-D-2
	3	IMMINENT delivery (≥ 6 months/24 weeks)	24-D-3
	4	3rd TRIMESTER hemorrhage	24-D-4
	5	HIGH RISK complications	24-D-5
	6	Baby born (complications with baby)	24-D-6
	7	Baby born (complications with mother)	24-D-7
C	1	2nd TRIMESTER hemorrhage or MISCARRIAGE	24-C-1
	2	1st TRIMESTER SERIOUS hemorrhage	24-C-2
	3	Abdominal pain/cramping (< 6 months/24 weeks and no fetus or tissue)	24-C-3
	4	Baby born (no complications)	24-C-4
B	1	Labor (delivery not imminent , ≥ 6 months/24 weeks)	24-B-1
	2	Unknown status/Other codes not applicable	24-B-2
A	1	1st TRIMESTER hemorrhage or MISCARRIAGE	24-A-1
Ω	1	Waters broken (no contractions or presenting parts)	24-Ω-1

25 PSYCHIATRIC / ABNORMAL BEHAVIOR / SUICIDE ATTEMPT

LEVELS	#	DETERMINANT DESCRIPTORS	CODES
D	1	Not alert	25-D-1
	2	DANGEROUS hemorrhage	25-D-2
	3	Near hanging, strangulation, or suffocation (alert with difficulty breathing)	25-D-3
B	1	SERIOUS hemorrhage	25-B-1
	2	Non-SERIOUS or MINOR hemorrhage	25-B-2
	3	THREATENING SUICIDE	25-B-3
	4	Jumper (threatening)	25-B-4
	5	Near hanging, strangulation, or suffocation (alert without difficulty breathing)	25-B-5
	6	Unknown status/Other codes not applicable	25-B-6
A	1	Non-suicidal and alert	25-A-1
	2	Suicidal (not threatening) and alert	25-A-2

26 SICK PERSON (SPECIFIC DIAGNOSIS)

LEVELS	#	DETERMINANT DESCRIPTORS	CODES
D	1	Not alert	26-D-1
C	1	ALTERED LEVEL OF CONSCIOUSNESS	26-C-1
	2	Abnormal breathing	26-C-2
	3	Sickle cell crisis/Thalassemia	26-C-3
	4	Autonomic dysreflexia/hyperreflexia	26-C-4
B	1	Unknown status/Other codes not applicable	26-B-1
A	1	No priority symptoms (complaint conditions 2–12 not identified)	26-A-1
	2–12	NON-PRIORITY Complaints	26-A-2–12
Ω	①	This code is not in use	
	2–28	NON-PRIORITY Complaints	26-Ω-2–28

27 STAB / GUNSHOT / PENETRATING TRAUMA

LEVELS	#	DETERMINANT DESCRIPTORS	CODES
D	1	Arrest	27-D-1
	2	Unconscious	27-D-2
	3	Not alert	27-D-3
	4	CENTRAL wounds	27-D-4
	5	Multiple wounds	27-D-5
	6	Multiple victims	27-D-6
B	1	NON-RECENT (≥ 6 hrs) single CENTRAL wound	27-B-1
	2	Known single PERIPHERAL wound	27-B-2
	3	SERIOUS hemorrhage	27-B-3
	4	Unknown status/Other codes not applicable	27-B-4
	5	OBVIOUS DEATH	27-B-5
A	1	NON-RECENT (≥ 6 hrs) PERIPHERAL wounds (without priority symptoms)	27-A-1

28. STROKE (CVA) / TRANSIENT ISCHEMIC ATTACK (TIA)

LEVELS	#	DETERMINANT DESCRIPTORS	CODES
C	1	Not alert	28-C-1
	2	Abnormal breathing	28-C-2
	3	Sudden speech problems	28-C-3
	4	Sudden weakness or numbness (one side)	28-C-4
	5	Sudden paralysis or facial droop (one side)	28-C-5
	6	Sudden loss of balance or coordination	28-C-6
	7	Sudden vision problems	28-C-7
	8	Sudden onset of severe headache	28-C-8
	9	STROKE history	28-C-9
	10	TIA (mini-stroke) history	28-C-10
	11	Breathing normally ≥ 35	28-C-11
	12	Unknown status/Other codes not applicable	28-C-12
A	1	Breathing normally < 35	28-A-1

29 TRAFFIC / TRANSPORTATION INCIDENTS

LEVELS	#	DETERMINANT DESCRIPTORS	CODES
D	1	MAJOR INCIDENT (a through h)	29-D-1
	2	HIGH MECHANISM (k through t)	29-D-2
	3	HIGH VELOCITY impact	29-D-3
	4	HAZMAT	29-D-4
	5	Pinned (trapped) victim	29-D-5
	6	Arrest	29-D-6
	7	Unconscious	29-D-7
	8	Not alert with noisy breathing (abnormal)	29-D-8
	9	Not alert with normal breathing	29-D-9
B	1	Injuries	29-B-1
	2	SERIOUS hemorrhage	29-B-2
	3	Other hazards	29-B-3
	4	LOW MECHANISM (1 st or 2 nd party caller)	29-B-4
	5	Unknown status/Other codes not applicable	29-B-5
A	1	1 st party caller with injury to NOT DANGEROUS body area	29-A-1
	2	No injuries reported (unconfirmed or ≥ 5 persons involved)	29-A-2
Ω	1	No injuries (confirmed for all persons up to 4)	29-Ω-1

30 TRAUMATIC INJURIES (SPECIFIC)

LEVELS	#	DETERMINANT DESCRIPTORS	CODES
D	1	Arrest	30-D-1
	2	Unconscious	30-D-2
	3	Not alert	30-D-3
	4	Chest or Neck injury (with difficulty breathing)	30-D-4
	5	HIGH VELOCITY impact/ MASS injury	30-D-5
B	1	POSSIBLY DANGEROUS body area	30-B-1
	2	SERIOUS hemorrhage	30-B-2
	3	Unknown body area (remote patient location)	30-B-3
A	1	Marked (*) NOT DANGEROUS body area with deformity	30-A-1
	2	NOT DANGEROUS body area	30-A-2
	3	NON-RECENT (≥ 6 hrs) injuries (without priority symptoms)	30-A-3

31^d UNCONSCIOUS / FAINTING (NEAR)

LEVELS	#	DETERMINANT DESCRIPTORS	CODES
E	1	INEFFECTIVE BREATHING * (to be selected from Case Entry only)	31-E-1
D	1	Unconscious – AGONAL/INEFFECTIVE BREATHING	31-D-1
	2	Unconscious – Effective breathing	31-D-2
	3	Not alert	31-D-3
	4	CHANGING COLOR	31-D-4
C	1	Alert with abnormal breathing	31-C-1
	2	Fainting episode(s) and alert \geq 35 (with cardiac history)	31-C-2
	3	Females 12–50 with abdominal pain	31-C-3
A	1	Fainting episode(s) and alert \geq 35 (without cardiac history)	31-A-1
	2	Fainting episode(s) and alert $<$ 35 (with cardiac history)	31-A-2
	3	Fainting episode(s) and alert $<$ 35 (without cardiac history)	31-A-3

32 UNKNOWN PROBLEM (PERSON DOWN)

LEVELS	#	DETERMINANT DESCRIPTORS	CODES
--------	---	-------------------------	-------

D	1	LIFE STATUS QUESTIONABLE	32-D-1
----------	----------	---------------------------------	---------------

B	1	Standing, sitting, moving, or talking	32-B-1
	2	Medical Alarm (Alert) notifications (no patient information)	32-B-2
	3	Unknown status/Other codes not applicable	32-B-3
	4	Caller's language not understood (no interpreter in center)	32-B-4

33 TRANSFER / INTERFACILITY / PALLIATIVE CARE

LEVELS	#	DETERMINANT DESCRIPTORS	CODES
D	1	Suspected cardiac or respiratory arrest	33-D-1
	2	Just resuscitated and/or defibrillated (external)	33-D-2
C	1	Not alert (acute change)	33-C-1
	2	Abnormal breathing (acute onset)	33-C-2
	3	Significant hemorrhage	33-C-3
	4	Shock	33-C-4
	5	Possible acute heart problems or MI (heart attack)	33-C-5
	6	Severe pain	33-C-6
	7	Emergency response requested	33-C-7
A	1	ACUITY I (no priority symptoms)	33-A-1
	2	ACUITY II (no priority symptoms)	33-A-2
	3	ACUITY III (no priority symptoms)	33-A-3